(FILE 'HOME' ENTERED AT 11:37:13 ON 22 OCT 2003)

	FILE 'MEDL	INE, CANCERLIT, BIOSIS, CONFSCI, SCISEARCH, EMBASE, CAPLUS,
	USPATFULL,	PCTFULL' ENTERED AT 11:38:13 ON 22 OCT 2003
L1	0	S ALPHA (A) INTEFERON (10A) HYBRID
L2	651	S ALPHA (A) INTERFERON (10A) HYBRID
L3	79	S L2 AND LIPOSOME
L4	72	DUP REM L3 (7 DUPLICATES REMOVED)
L5	8	S L4 NOT PY=>1995
L6	13128	S LIPOSOM? (10A) MIX?
L7	196	S L6 AND 50 (10A) PHOSPHATIDYLCHOLINE
L8	173	DUP REM L7 (23 DUPLICATES REMOVED)
L9	31	S L8 AND 20 (10A) CHOLESTEROL
L10	5	S L9 AND 5 (10A) PHOSPHATIDYLSERINE
L11'	2004	S PHOSPHATIDYLCHOLINE (10A) PHOSPHATIDYLSERINE (S) CHOLESTEROL
L12	1378	DUP REM L11 (626 DUPLICATES REMOVED)
L13	211	S L12 AND 10:1
L14	52	S L13 NOT PY=>1995
L15	6	S L14 AND INTERFERON



WEST Search History

DATE: Wednesday, October 22, 2003

Set Name side by side	Query	Hit Count	Set Name result set
·	: PLUR=YES; OP=OR		i court set
L11	WO009101719A1	1	L11
DB = USPT	PLUR=YES; OP=OR		
L10	4414150.pn.	1	L10
DB = EPAB,	· PLUR=YES; OP=OR		
L9	ep0331635A2	0	L9
DB = USPT,	PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR		
L8	L7 and liposome	21	L8
L7	L5 and interferon	84	L7
L6	L5 and alpha adj inteferon	0	L6
L5	taylor.in.	21769	L5
L4	L3 and interferon	2136	L4
L3	taylor pw.in.	122923	L3
L2	L1 and (b adj d near10 hybrid)	2	L2
L1	alpha adj interferon same liposome	52	L1

END OF SEARCH HISTORY

```
ANSWER 4 OF 8 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     1989:601442 CAPLUS
DN
     111:201442
TΙ
     Augmentation of antiproliferative activity of interferon alpha against
     human bladder tumor cell lines by encapsulation of interferon alpha within
ΑŪ
     Killion, Jerald J.; Fan, Dominic; Bucana, Corazon D.; Frangos, Dino N.;
     Price, Janet E.; Fidler, Isaiah J.
CS
     M. D. Anderson Cancer Cent., Univ. Texas, Houston, TX, 77030, USA
     Journal of the National Cancer Institute (1989), 81(18), 1387-92
SO
     CODEN: JNCIEQ; ISSN: 0027-8874
DT
     Journal
     English
LA
CC
     63-3 (Pharmaceuticals)
     Section cross-reference(s): 15
     It was investigated whether encapsulation of the recombinant human
     interferon-.alpha. (IFN-.alpha.) hybrid BBDD
     within liposomes will produce antitumor effects against the
     human bladder cancer line 253J superior to those obsd. with free
     IFN-.alpha.. Adherent cells were cultured in medium alone, in medium
     contq. different concns. of IFN-.alpha., or in medium contq. multilamellar
     liposomes (phosphatidylcholine-phosphatidylserine at a molar ratio
     of 7:3) that encapsulated saline or IFN-.alpha.. Cell growth was detd.
     96-120 h later. Control groups consisted of target cells cultured with
     free IFN-.alpha. or with IFN-.alpha. plus liposomes contg.
     saline. Cytostasis mediated by free IFN-.alpha. alone or IFN-.alpha. in
     the presence of liposome-saline was identical and ranged from
     0-30% (10 IU/mL) to 45%-70% (1,000 IU/mL). Liposomes contg.
     saline produced no effects. Liposome-encapsulated IFN-.alpha.
     produced greater growth inhibition than free IFN-.alpha.: 40%-70% (10
     IU/mL) and 80%-90% (1,000 IU/mL), resp. Moreover, a 253J variant subline
     selected for resistance to free IFN-.alpha. was sensitive to IFN-.alpha.
     presented in liposomes. These data suggest that the
     encapsulation of antiproliferative agents such as IFN-.alpha. in
     liposomes can improve therapeutic results.
ST
     liposome encapsulation interferon bladder antitumor
IT
     Neoplasm inhibitors
        (liposome-encapsulated interferon-.alpha. as, against human
        bladder cell lines)
IT
     Pharmaceutical dosage forms
        (liposomes, interferon-.alpha. in, human bladder tumor cell
        lines inhibition by)
IT
     Bladder
        (neoplasm, liposome-encapsulated interferon-.alpha.
        inhibition of human cell lines of)
IT
     Interferons
     RL: BIOL (Biological study)
        (.alpha., liposome encapsulated, human bladder tumor cell
```

lines inhibition by)